

## Dräger PARAT® 3260 Filtering Escape Device

The Dräger PARAT® 3260 is a mouthpiece / nose clip escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT® 3200, the device and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.

### Mouthpiece with nose clip

- Small in size, easy to don
- Provides extremely low leakage
- Suited for bearded wearers

### Integrated belt clip

- For safe and comfortable carrying of the device on the body
- Additional carrying accessories available

### Transparent backplate

- Visual inspection possible
- Filter expiration date easy to read

### Info label on the inside

- Protected against abrasion
- Easy to understand pictograms

### TPE sealing strap

- Easy to open and close: allows for quick and easy replacement

### Traction grip areas

- Slip-proof surfaces for safe handling – even with gloves

### Overall lifetime

- 12 years provided the barrier bag is exchanged after 6 years

### Robust housing

- Mouthpiece and filter are vacuum sealed in a robust barrier bag and are additionally protected by the housing
- Suitable for daily use in rough work environments



D-28605-2015



Fire Hunter Co  
Also known as Sayaad Alnaar Company  
29a street ,Naif road ,UAE  
Admin@firehunter.co  
00971543370006

## Benefits

---

### Proven protection for at least 15 minutes

The Dräger PARAT 3260 reliably protects the user from a wide range of toxic industrial gases for at least 15 minutes. It is approved in accordance with DIN 58647-7.

---

### Mouthpiece with nose clip

The escape respirator consists of a mouthpiece with nose clip and an integrated ABEK15 filter. It is easy and safe to don, even for bearded wearers. It provides very low leakage values. The small and compact size makes it easy to carry.

---

### Various carrying options

The escape device is standardly equipped with a belt clip. There are four additional carrying options available: a grip clip, slip guard carabiner, shoulder strap and hand strap, keeping the PARAT 3000 series secure during daily tasks. With the exception of the grip clip, the devices can be assembled to the existing belt clip. The grip clip can be assembled after removing the belt clip from the unit.

---

### Robust and ergonomic packaging

The ergonomic design with traction grip areas on the housing allows for easy and safe handling. The robust case provides stability even under extreme working conditions.

---

### Transparent backplate

The backplate of the PARAT 3260 is transparent and offers a clear view of the device. Service intervals are easy to keep track of as the expiration date is on the barrier bag and can be easily read. Pictograms show the correct donning procedure and remain protected under the backplate against abrasion.

---

### Low cost of ownership

The device has a 12 year lifetime, provided that the barrier bag is replaced after 6 years. Ensures maximum protection at a reasonable cost.

---

### Vacuum sealed for high protection

The escape device is vacuum sealed in a robust aluminum barrier bag. Protects the system in a wide variety of ambient conditions.

## System Components

D-7270-2019



### Grip clip for Dräger PARAT® 3000

The grip clip carrying option is intended for applications when a securely fastened clip is needed. With the grip clip the device can be attached to work clothes or pockets. The grip clip can easily be assembled to the PARAT® 3000 after removing the belt clip.

D-7413-2019



### Slip guard carabiner for Dräger PARAT® 3000

The slip guard carabiner is a carrying option which fulfills two functions. First, the function of a carabiner hook. Secondly, it provides a drop safety for the unit. When carrying the PARAT® 3000 on a belt clip, the slip guard carabiner can be hooked onto the belt loop and in case the unit dislodges from the belt, it remains attached to the user. The slip guard carabiner can be assembled on the belt clip of the PARAT® 3000.

D-7276-2019



### Shoulder strap for Dräger PARAT® 3000

The shoulder strap is suitable for recurring operations where a device is quickly carried along and the user does not have a belt. The shoulder strap can be assembled on the belt clip of the PARAT® 3000.

D-7275-2019



### Hand strap for Dräger PARAT® 3000

The hand strap carrying option is optimal for short-term applications when a device needs to be accessed quickly. It allows users to carry the unit on their wrist. This option is especially popular among visitors who are on-site only for a short time. The hand strap can be assembled on the belt clip of the PARAT® 3000.



Fire Hunter Co  
Also known as Sayaad Alnaar Company  
29a street ,Naif road ,UAE  
Admin@firehunter.co  
00971543370006

## System Components



D-28596-2015

### Spare parts set Dräger PARAT® 3260

Includes a mouthpiece and nose clip fitted with an ABEK15 escape filter sealed in an aluminum barrier bag. Set includes a sealing tag to reseal the case. It has a 6 year lifetime.

## Related Products



D-7238-2019

### PARAT® 3200 Training unit

This training unit is designed for users who want to practice the use of the PARAT® 3200 mouthpiece escape device. The training unit includes an empty filter dummy, which can be hygienically cleaned after use. Additionally, the training unit is clearly marked as "For Training Only".



D-11940-2019

### Dräger PARAT® 3160

The Dräger PARAT® 3160 is a half mask escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT® 3100, the half mask and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.



Fire Hunter Co  
Also known as Sayaad Alnaar Company  
29a street ,Naif road ,UAE  
Admin@firehunter.co  
00971543370006

Dräger PARAT® 3260 | 05

## Technical Data

|                        |                                                                                                                               |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Filter performance     | ABEK15 gas filter for protection against organic and anorganic gases and vapors, approved in accordance with DIN 58647 part 7 |
| Duration of use        | At least 15 minutes                                                                                                           |
| Shelf life             | Total lifetime 12 years, provided the barrier bag is exchanged after 6 years.                                                 |
| Weight                 | Approx. 354 g (12.5 oz)                                                                                                       |
| Dimensions (L x W x H) | 170 x 110 x 60 mm (6.7 x 4.3 x 2.4 in)                                                                                        |
| Approval               | Approved in accordance with DIN 58647 part 7 (CE mark 0158)                                                                   |

### Filter capacity according to DIN 58647-7\*

| Type | Test gas                                      | Concentration in ppm | Breakthrough in ppm | Minimum breakthrough time in min |
|------|-----------------------------------------------|----------------------|---------------------|----------------------------------|
| A    | Cyclohexane (C <sub>6</sub> H <sub>12</sub> ) | 2,500                | 10                  | 15                               |
| B    | Chlorine (Cl <sub>2</sub> )                   | 2,500                | 0.5                 | 15                               |
| B    | Hydrogen sulfide (H <sub>2</sub> S)           | 2,500                | 10                  | 15                               |
| B    | Hydrogen cyanide (HCN)                        | 2,500                | 10                  | 15                               |
| E    | Sulfur dioxide (SO <sub>2</sub> )             | 2,500                | 5.0                 | 15                               |
| K    | Ammonia (NH <sub>3</sub> )                    | 2,500                | 25                  | 15                               |
| B    | Hydrogen sulfide (H <sub>2</sub> S)           | 10,000**             | 20                  | 5                                |

\* Test conditions according to DIN 58647-7: 30 l/min, 70 % relative humidity, 20 °C (68 °F).

\*\* To determine the breakthrough capacity of the gas filter it is additionally tested with 10,000 ppm hydrogen sulfide.

## Ordering Information

| Dräger PARAT® 3260                                                                                                                                | Order no. |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Dräger PARAT® 3260 Mouthpiece respirator (vacuum sealed in an aluminum barrier bag)                                                               | 37 04 479 |
| Dräger PARAT® 3200 Training unit                                                                                                                  | 37 04 884 |
| <b>Carrying options</b>                                                                                                                           |           |
| Grip clip for Dräger PARAT® 3000                                                                                                                  | 37 04 420 |
| Slip guard carabiner for Dräger PARAT® 3000                                                                                                       | 37 04 422 |
| Shoulder strap for Dräger PARAT® 3000                                                                                                             | 37 04 520 |
| Hand strap for Dräger PARAT® 3000                                                                                                                 | 37 04 519 |
| <b>Replacement parts</b>                                                                                                                          |           |
| Spare part set Dräger PARAT® 3260                                                                                                                 | R 62 627  |
| Spare parts kit lid Dräger PARAT® 3260                                                                                                            | 37 03 258 |
| Sealing strap for Dräger PARAT® 3000                                                                                                              | R 56 319  |
| Sealing tag Dräger PARAT® 3000 (50 pieces)                                                                                                        | R 56 355  |
| Belt clip (replacement) for Dräger PARAT® 3000                                                                                                    | 37 02 205 |
| Filter dummy for Dräger PARAT® 3000 Training unit                                                                                                 | R 58 345  |
| Please note that the Dräger PARAT® 3260 is only available for sale in certain regions (pre-defined tropical climates, replacing the PARAT® 3200). |           |